



TECHNOLOGY AND DESIGN OF FUTURE



Fireplace stoves
and design fireplaces



CONTENT	page
Romotop	4
Energy labels	5
Technology	6
Fireplace stoves	8
Alea, Alea A	10
Aledo	12
Alpera E, Alpera F, Alpera G	13
Altea	16
Belo 3S, Belo 3S A	17
Belorado, Belorado A	19
Burgos	21
Espera	22
Esquina N	23
Evora, Evora A, Evora T	24
Gerona	27
Irun N	28
Laredo, Laredo A, Laredo F, Laredo T	29
Lugano, Lugano A	33
Lugo N, Lugo N A, Lugo N Four, Lugo W,	35
Malaga N	39
Navia, Navia G	40
Ovalis, Ovalis A, Ovalis T, Ovalis G, Ovalis G A	42
Palea	47
Riano, Riano N, Riano W	48
Salem	51
Soria N	52
Stromboli N	53
Tala	54
Glaze colours, body finishes, stones	55
Design fireplaces	56
Cara C 02, Cara CS 02, Cara C N 03, Cara CS N 03	58
Variant F N 03, Variant RN/LN 03	62
Accumulation	64
Technical parameters	65
Smart Handle	70



Almost 1 000 000 households all around the world enjoy ROMOTOP products today. Every product that leaves the production plant in Suchdol nad Odrou is a result of the joint effort of all our employees. Our state-of-the-art production facilities, competent employees and qualified professional sales representatives make ROMOTOP one of the leading brands in its field in Europe. ROMOTOP stoves and inserts offer customers a modern design, high-quality technical workmanship and an innovative wood burning process. A wide range of products cater to the needs of both standard and low-energy houses. Heat energy can be stored in accumulation tiles or distributed around the house using hot-water exchangers. Customers can select from hand-made ceramic or natural stone tiling.

Technology is our passion; it's what we live for. Thanks to natural development, we know it's not enough for leaders in the field to simply build on the wisdom and experience of our ancestors. It's our respect for our ancestors that drives us to push the limits, just like they did before us. Where others speak of skills, history and tradition, we are continually thinking of new patents, innovations, state-of-the-art production technologies, efficiency, production rhythms and robotic automation.

TECHNOLOGY AND DESIGN OF FUTURE



Energy labels

People have been using fire to provide heat for thousands of years. From times of open fireplaces of our ancestors compared to modern fireplace stoves however, lot has changed.

Current trend demands ecological and economic heaters which will succeed even in the future, and these are exactly the fireplace stoves and fireplace inserts of Romotop.


Based on the European directive we have marked each of our products with energy label. Timeless and sophisticated design ensures that our fireplace stoves and inserts are very effective and ecological heater.

A+

Technology

Always enough oxygen

Thanks to the external air intake (EAI), Romotop fireplace stoves, inserts and design fireplaces always have sufficient combustion air for the burning process.



Better combustion dynamics

We always offer only the best. This is also true of the chamotte brick in the combustion chamber, which are characterized by high material stability, better combustion, accumulation properties and improved combustion dynamics.




Precise and simple air control

Just like you, Romotop fireplace stoves, inserts and design fireplaces need air to function properly. Primary air helps the wood catch fire, while secondary air keeps the glass perfectly clean. The supply of both primary and secondary air can be controlled by a single element. Everything is designed for your maximum comfort.

Fireplace stoves and inserts with a hot-water exchanger

Romotop fireplace stoves and inserts with a hot-water exchanger offer high combustion efficiency and low heating costs. In combination with an accumulation tank, they can be used as the primary source of heating. For maximum operating safety, fireplace stoves and inserts with a hot-water exchanger are equipped with a cooling loop with thermal valve, which prevents water being overheated in the hot-water exchanger.



Legend

P_R	Regulated output
P_{\bullet}	Regulated hot-water output
+	Dimensions H x W x D

kg	Weight
%	Efficiency





Alea

The elegant, slim shape of the Alea fireplace stove is a perfect match for every interior. The rotating combustion chamber means you won't be restricted to watching the beautiful living flames from just a single angle.

A⁺

Alea 01 ceramic

P _r	2.9-7.4 kW
❖	1305 × 468 × 468 mm
■	146 kg
%	82.9 %



Alea 01
ceramic

Alea 02
serpentine

Alea 03
steel

Alea 04
sandstone



Alea Accumulation

The Alea A accumulation fireplace stove will always adapt to your needs. Its rotating combustion chamber ensures you will always have a great view of the beautiful dancing flames, and the accumulation system above the combustion chamber will let you make great use of the heat released during combustion.

A⁺

Alea 01 A ceramic

P _r	2.9-7.4 kW
❖	1584 × 468 × 468 mm
■	158 kg
%	82.9 %



Alea 01 A
ceramic

Alea 02 A
serpentine

Alea 03 A
steel

Alea 04 A
sandstone



Aledo

Aledo fireplace stoves are characterized by an elegant design, sophisticated central air intake and a fully glazed door that provides an uninterrupted view of the flames.



Aledo 01
ceramic

Aledo 02
serpentine

Aledo 03
steel

A+

Aledo 01 ceramic

P _R	3-7.8 kW
❖	862 × 740 × 321 mm
■	150 kg
%	83.5 %



Alpera E

Alpera fireplace stoves with radius glass do not require much space and will fit in any type of interior.



Alpera E 01
ceramic

Alpera E 02
serpentine

Alpera E 03
steel

A+

Alpera E 01 ceramic

P _R	2-6.5 kW
❖	996 × 528 × 394 mm
■	123 kg
%	80.5 %



Alpera F

This stove's direct, clean lines result in a modern feel combined with minimalistic details. The timeless design means this stove will look great in your living room.

A⁺

Alpera F 02 serpentine

P _R	2-6,5 kW
❖	996 × 520 × 318 mm
■	160 kg
%	80,5 %



Alpera G

The perfectly curved lines make the Alpera G fireplace stove a very interesting piece of furniture that will brighten up your living room with more than just flames.

A⁺

Alpera G 03 steel

P _R	2-6,5 kW
❖	974 × 516 × 397 mm
■	125 kg
%	80,5 %



Alpera F 01
ceramic

Alpera F 02
serpentine

Alpera F 03
steel



Alpera G 01
ceramic

Alpera G 02
serpentine

Alpera G 03
steel



Altea

With its spacious combustion chamber, the rustic ceramic Altea fireplace stove is an interesting decoration well suited to any interior.

A

Altea ceramic

P_R	4–10.4 kW
❖	860 × 847 × 378 mm
■	141 kg
%	78.6 %



Belo 3S

Minimalistic construction and clean design make the Belo 3S suitable for any interior. The panoramic fully glazed door and side glazing give you a view of the fire from multiple angles.

A⁺

Belo 3S 02 serpentine

P_R	2.5–6.4 kW
❖	1211 × 530 × 403 mm
■	157 kg
%	80.5 %



Altea
ceramic



Belo 3S 01
ceramic

Belo 3S 02
serpentine

Belo 3S 03
steel

Belo 3S 04
sandstone



Belo 3S Accumulation

The uniqueness of the Belo 3S A fireplace stove is guaranteed by its elegant door and side glazing, allowing the heat to radiate to three sides and adding a whole new dimension to watching your fire. Accumulation tiles can be placed above the combustion chamber, prolonging heat radiation by several hours.

A⁺

Belo 3S A 01 steel

P _R	2,5-6,4 kW
❖	1571 × 533 × 406 mm
■	176 kg
%	80,5 %



Belorado

The advanced combustion technology and oval design of Belorado present your fire in all its beauty.

A⁺

Belorado 03 steel

P _R	2,5-6,4 kW
❖	1189 × 533 × 406 mm
■	153 kg
%	80,5 %



Belo 3S A
steel



Belorado 01
ceramic

Belorado 02
serpentine

Belorado 03
steel



Belorado Accumulation

The tall, unique Belorado A fireplace stove dominates any space. The precisely created details in combination with a sophisticated structure meet all modern architectural requirements.

A⁺

Belorado 03 A steel

P _R	2,5-6,4 kW
❖	1571 × 533 × 403 mm
■	176 kg
%	80,5 %



Burgos

A generous combustion chamber with high quality design components and precise, clean lines. The Burgos fireplace stove gives any interior a unique atmosphere.

A⁺

Burgos 02 serpentine

P _R	3,8-9,8 kW
❖	1175 × 756 × 507 mm
■	243 kg
%	82,7 %



Belorado 01 A
ceramic

Belorado 02 A
serpentine

Belorado 03 A
steel



Burgos 01
ceramic

Burgos 02
serpentine

Burgos 03
steel

Burgos 04
sandstone



Espera

The innovative hot-water exchanger (HE) solution together with a double-glazed door significantly increases the overall efficiency and value of the Espera fireplace stove.

A⁺

Espera 01 ceramic

P _R	5-13 kW
P _d	3,5-9,1 kW
寸	1080 × 540 × 518 mm
重	220 kg
%	80,1 %



Espera 01
ceramic

Espera 02
serpentine

Espera 03
steel



Esquina N

This slim, angled model with a tall glazed door will catch the attention of every visitor. The exceptional corner glass door provides more intense contact with the flames from all parts of the room.

A⁺

ESQUINA N steel

P _R	3-7,7 kW
寸	1506 × 403 × 403 mm
重	179 kg
%	81,4 %



Esquina N
steel

Esquina N with woodshed
steel



Evora

Minimalistic, yet with a dominant shape. The Evora fireplace stove is a perfect fit for all interiors as it does not take up any more space than strictly necessary.

A⁺

Evora 02 serpentine

P _R	2-6,5 kW
❖	996 × 528 × 398 mm
■	139 kg
%	80,5 %



Evora Accumulation

A slender, tall accumulation stove with a popular oval base and high heat radiation capacity.

A⁺

Evora 01 A ceramic

P _R	2-6,5 kW
❖	1312 × 528 × 398 mm
■	143 kg
%	80,5 %



Evora 01
ceramic

Evora 02
serpentine

Evora 03
steel

Evora 07
sandstone



Evora 01 A
ceramic

Evora 02 A
serpentine

Evora 03 A
steel

Evora 04 A
sandstone



Evora T

The Evora T fireplace stoves provides more than one point of view of the flames. The rotating combustion chamber allows you to view your fire from multiple angles.

A⁺

Evora T 02 serpentine

P _R	2-6,5 kW
❖	997 x 528 x 398 mm
■	137 kg
%	80,5 %



Evora T 01
ceramic

Evora T 02
serpentine

Evora T 03
steel

Evora T 07
sandstone



Gerona

Explore the beautiful delicate lines of the hand-made tiles. The heated ceramic plate above the furnace will keep your coffee or tea warm for the whole day. Or if you prefer scented oil, the heat from the stove will release a wide range of fragrances.

A⁺

Gerona ceramic

P _R	4,8-12,4 kW
❖	994 x 690 x 362 mm
■	133 kg
%	82,3 %



Gerona
ceramic



Irun N

Irun N fireplace stoves have a narrow oval body that allows their installation in smaller low-energy homes. The stove design is accentuated by a fully glazed door with a modern print and a designer handle for easy opening.

A⁺

IRUN N 01 ceramic

P _R	2,5-6,4 kW
❖	1113 × 458 × 458 mm
■	148 kg
%	80,5 %



Irun N 01
relief ceramic

Irun N 02
serpentine

Irun N 03
steel

Irun N 05
flat ceramic



Laredo

The door made completely of glass with stainless steel details lends the Laredo fireplace stove an attractive and unique look.

A⁺

Laredo 04 sandstone

P _R	2-6,5 kW
❖	996 × 528 × 398 mm
■	127 kg
%	80,5 %



Laredo 01
ceramic

Laredo 02
serpentine

Laredo 03
steel

Laredo 04
sandstone



Laredo Accumulation

Laredo A is a picture of elegance. A full-glass door with stainless-steel elements and accumulation that efficiently utilizes the heat released by the stove.

A⁺

Laredo 02 A serpentine

P _R	2-6,5 kW
❖	1312 × 528 × 398 mm
■	157 kg
%	80,5 %



Laredo F

If you're looking for the perfect companion for long winter evenings, a Laredo F fireplace stove is the perfect choice.

A⁺

Laredo F 01 ceramic

P _R	2-6,5 kW
❖	996 × 520 × 318 mm
■	132 kg
%	80,5 %



Laredo 01 A
ceramic

Laredo 02 A
serpentine

Laredo 03 A
steel

Laredo 04 A
sandstone



Laredo F 01
ceramic

Laredo F 02
serpentine

Laredo F 03
steel



Laredo T

The beautiful and elegant Laredo T fireplace stove provides a view of the flames from almost any angle.

A⁺

Laredo T 03 steel

P _R	2-6,5 kW
❖	975 × 528 × 398 mm
■	122 kg
%	80,5 %



Laredo T 01
ceramic

Laredo T 02
serpentine

Laredo T 03
steel

Laredo T 04
sandstone



Lugano

The oval shape of the Lugano fireplace stove lends your interior a cosy feeling. It includes pleasant details such as a sill above the combustion chamber and a door handle whose technical design gives the fireplace stove an elegant look.

A⁺

Lugano 01 ceramic

P _R	3-7,8 kW
❖	1224 × 550 × 438 mm
■	146 kg
%	81,9 %



Lugano 01
ceramic

Lugano 02
serpentine

Lugano 03
steel

Lugano 04
sandstone



Lugano A

The Lugano A accumulation fireplace stove can also be fitted with special accumulation tiles in the space above the combustion chamber. This "mass" of accumulation elements can extend the heat radiation period of the stove by several hours.

A⁺

Lugano A 01 ceramic

P _R	2-6,5 kW
❖	975 × 528 × 398 mm
■	122 kg
%	80,5 %



Lugano 01 A
ceramic

Lugano 02 A
serpentine

Lugano 03 A
steel

Lugano 04 A
sandstone



Lugo N

The oval shape of the Lugo N fireplace stove helps create a cosy interior. It includes pleasant details, such as a sill above the combustion chamber or the door handle whose technical design lends the fireplace stove an elegant look.

A⁺

Lugo N02 serpentine

P _R	3-7,8 kW
❖	1224 × 550 × 438 mm
■	179 kg
%	81,9 %



Lugo N01
ceramic

Lugo N02
serpentine

Lugo N03
steel

Lugo N04
sandstone



Lugo N Accumulation

The Lugo N A accumulation fireplace stove can also be fitted with special accumulation tiles in the space above the combustion chamber. This "mass" of accumulation elements can extend the heat radiation period of the stove by several hours.

A⁺

Lugo N01 A ceramic

P _R	3-7,8 kW
❖	1530 × 550 × 457 mm
■	161 kg
%	81,9 %



Lugo N oven

The perfect combination of the warmth of the hearth and great food is hard to resist. So why not treat yourself to the Lugo N BF fireplace stove that comes equipped with an oven? You deserve the best.

A⁺

Lugo N03 BF ceramic

P _R	3-7,8 kW
❖	1552 × 550 × 456 mm
■	195 kg
%	81,9 %



Lugo N01 A
ceramic

Lugo N02 A
serpentine

Lugo N03 A
steel

Lugo N04 A
sandstone



Lugo N01 BF
ceramic

Lugo N02 BF
serpentine

Lugo N03 BF
steel



Lugo W

The Romotop Lugo W hot-water fireplace stove has all the parameters you expect from modern, high quality stoves. In addition, it comes with a highly efficient hot-water exchanger that can use residual heat to produce hot utility water or heating water.

Lugo W 02 serpentine	
P _R	4-10.4 kW
P _d	2.5-6.6 kW
❖	1384 × 560 × 470 mm
■	360 kg
%	88.0 %



Lugo W 01
ceramic

Lugo W 02
serpentine

Lugo W 03
steel

Lugo W 04
sandstone



Malaga N

The Malaga N 03 is a tiled accumulation stove that perfectly suits both modern and rustic interiors. The foundation of the stove is the fireplace insert, which supports a connection to an accumulation exchanger.



Malaga N 01
ceramic

Malaga N 03
ceramic

Malaga N 03 ceramic	
P _R	2-6 kW
❖	1554 × 600 × 470 mm
■	225 kg
%	80.3 %



Navia

A sensitive fusion of all the major stove dimensions has resulted in a unique design. The rounded and unique dimensions of the glass provide a large area for direct observation of the flames.



Navia 01
ceramic

Navia 02
serpentine

Navia 03
steel

A⁺

Navia 01 ceramic

P _R	3-7,8 kW
❖	862 × 787 × 374 mm
■	164 kg
%	83,5 %



Navia G

A generous combustion chamber with high quality designer components and precise, clean lines. Navia G fireplace stoves are designed to seamlessly integrate into your home.



Navia G 01
ceramic

Navia G 02
serpentine

Navia G 03
steel

A⁺

Navia G 01 ceramic

P _R	3-7,8 kW
❖	862 × 787 × 374 mm
■	164 kg
%	83,5 %



Ovalis

The rounded and unique dimensions of the glass provide a large area for direct observation of your fire. The compact shape of the Ovalis fireplace stove combined with the wide combustion chamber make it a perfect fit for your interior.

A⁺

Ovalis 02 serpentine

P _R	3-7.8 kW
❖	1071 × 630 × 398 mm
■	156 kg
%	83.5 %



Ovalis A

A sensitive fusion of all the major dimensions of this accumulation stove has resulted in a unique design. The rounded and unique dimensions of the glass provide a large area for direct observation of your fire.

A⁺

Ovalis 01 A ceramic

P _R	3-7.8 kW
❖	1390 × 628 × 398 mm
■	159 kg
%	83.5 %



Ovalis 01
relief ceramic

Ovalis 02
serpentine

Ovalis 03
steel

Ovalis 05
flat ceramic



Ovalis 01 A
relief ceramic

Ovalis 02 A
serpentine

Ovalis 03 A
steel

Ovalis 05 A
flat ceramic



Ovalis T

Its exceptionally small depth and oval shape mean this slim stove will even fit into small interiors. The stove rotates, allowing you to enjoy the view of your fire from almost anywhere.

A⁺

Ovalis T 03 steel

P _R	3-7,8 kW
❖	1015 x 628 x 398 mm
■	140 kg
%	83,5 %



Ovalis G

A sensitive combination of a large designer door glazing print with varnished control elements has given birth to the unique design of Ovalis G fireplace stoves.

A⁺

Ovalis G 02 serpentine

P _R	3-7,8 kW
❖	1074 x 630 x 398 mm
■	158 kg
%	83,5 %



Ovalis T 02
serpentine

Ovalis T 03
steel

Ovalis T 05
ceramic



Ovalis G 01
relief ceramic

Ovalis G 02
serpentine

Ovalis G 03
steel

Ovalis G 04
sandstone

Ovalis G 05
flat ceramic



Ovalis G Accumulation

A sensitive combination of a large designer door glazing print with varnished control elements has given birth to the unique design of Ovalis G A fireplace stoves.

A⁺

Ovalis G A 05 ceramic

P _R	3-7,8 kW
❖	1390 × 628 × 398 mm
■	164 kg
%	83,5 %



Ovalis G 01 A
relief ceramic

Ovalis G 02 A
serpentine

Ovalis G 03 A
steel

Ovalis G 04 A
sandstone

Ovalis G 05 A
flat ceramic



Palea

The beauty of Palea fireplace stoves is perfectly emphasized by their large glass door, offering a unique view of the fire. Lose yourself in the dancing flames.

A⁺

Palea 02 serpentine

P _R	2-6,5 kW
❖	1335 × 520 × 426 mm
■	196 kg
%	80,5 %



Palea 01
ceramic

Palea 02
serpentine

Palea 03
steel



Riano

The Riano fireplace stove is for those who love a prominent and clear-cut design. The stove's lines do not distract from the wide combustion chamber.



Riano 01
steel

Riano 02
ceramic

Riano 03
serpentine

A⁺

Riano 03 serpentine

P _R	3-7.8 kW
尺寸	920 × 820 × 420 mm
重量	175 kg
效率	80,1 %



Riano N

Elegance and minimalism. These words precisely capture the essence of the Riano N fireplace stove. Its wide combustion chamber with a full-glass door offers ample heat and a beautiful view of the flames.

A⁺

Riano N 05 serpentine

P _R	3-7.8 kW
尺寸	995 × 827 × 410 mm
重量	184 kg
效率	80,1 %



Riano N 01
steel



Riano N 02
ceramic

Riano N 03
serpentine

Riano N 04
ceramic top

Riano N 05
serpentine top



Riano W

Highly efficient fireplace stoves with a large share of heat transferred to hot water will find applications even in larger interiors. The horizontal combustion chamber gives the stove a modern look and allows you to burn pieces of wood up to 50 cm long.

A⁺

Riano W 02 ceramic	
P _R	6.7-17.4 kW
P _d	4.7-12.2 kW
尺寸	1070 × 834 × 470 mm
重量	270 kg
%	83.4 %



Salem

The Salem fireplace stove is for those who love a prominent and clear-cut design. The stove's lines do not distract from the wide combustion chamber.

A⁺

Salem 01 relief ceramic	
P _R	3-7.8 kW
尺寸	862 × 750 × 332 mm
重量	147 kg
%	83.5 %



Riano W 01
steel

Riano W 02
ceramic

Riano W 03
serpentine



Salem 01
relief ceramic

Salem 02
serpentine

Salem 03
steel



Soria N

The beauty of Soria N fireplace stoves is perfectly emphasized by their large glass door, offering a unique view of the fire. Lose yourself in the dancing flames.

A⁺

Soria N 01 ceramic

P _R	2,8-7,2 kW
❖	1554 x 517 x 517 mm
■	202 kg
%	83,9 %



Soria N 01
ceramic

Soria N 02
serpentine

Soria N 03
steel

Soria N 04
sandstone



Stromboli N

The large combustion chamber on its elegant pedestal and rotating mechanism of the Stromboli N fireplace stove offer you the opportunity to enjoy its radiating heat anywhere in the room.

A⁺

Stromboli N 02 ceramic

P _R	3-7,8 kW
❖	1074 x 672 x 475 mm
■	175 kg
%	80,1 %



Stromboli N 01
serpentine

Stromboli N 02
ceramic

Stromboli N 03
steel

Stromboli N 04
sandstone



Tala

The dominant feature of this stove is the large radius door, allowing you to enjoy watching the flames from anywhere in the room.

A⁺

Tala 01 steel	
P _R	3-7.7 kW
+	1064 x 480 x 433 mm
■	110 kg
%	80,1 %



Tala 01
steel

Tala 06
steel

Glaze colours



90002



90901



95508



51502



52808



54505



58507



49000



49400



30301



92360



61660



63360



60100



67300



68692



73706



75705




77900



19301

Stones



serpentine



sandstone

Body finishes



black



DESIGN FIREPLACES



Cara C 02

The Romotop Cara C 02 is a high quality accumulation fireplace that responds to the latest trends and needs of modern interior architecture. Its carefully balanced outer proportions, clean lines and dominating, wide three-sided glazing create an imposing whole to satisfy even the most demanding customers.



Cara C 02
serpentine

Accumulation set,
the weight = 100 kg

A⁺

Cara C 02 serpentine

P _R	3.9-9.1 kW
❖	1641 × 924 × 577 mm
■	355 kg
%	82.9 %



Cara CS 02

The magic of fire in perfect balance with aesthetics and technology. The Cara CS 02 is a leaner variant which will perfectly suit low-energy homes.



Cara CS 02
serpentine

Accumulation set,
the weight = 66 kg

A⁺

Cara CS 02 serpentine

P _R	2.9-7.4 kW
❖	1648 × 774 × 577 mm
■	303 kg
%	82.1 %



Cara C N 03

The Cara C N is a high quality fireplace which combines varnished metal sheeting and glass, and the whole geometry of the combustion chamber is based on the letter "C". Its elegant black colour combined with ample amounts of glazing lets the flames truly shine.


A⁺

Cara C N 03 steel

P _R	3,9-10,1 kW
❖	1643 x 924 x 577 mm
■	295 kg
%	82,9 %



Cara C N 03
steel



Accumulation set,
the weight = 100 kg



Cara CS N 03

The Romotop Cara CS N 03, a perfect minimalist accumulation fireplace, has established a new trend in heating. An elegant phenomenon – thanks to its three-sided glazing, special details and optimal functionality, this fireplace will satisfy even the most demanding customers.


A⁺

Cara CS N 03 steel

P _R	2,9-7,4 kW
❖	1643 x 774 x 577 mm
■	255 kg
%	82,1 %



Cara CS N 03
steel



Accumulation set,
the weight = 66 kg



Variant F N 03

A single fireplace. Yet always unique... you too can design your own fireplace thanks to the modular system used in the Romotop Variant F N 03. The shape and maximum flexibility of the design follow the latest trends of modern interior architecture.



Variant F N 03
steel

A⁺

Variant F N 03 steel

P_R	2.4-7 kW
❖	1092-1852 × 790 × 470 mm
■	182-225 kg
%	83.6 %



Variant RN 03/LN 03

Design your own fireplace thanks to the modular system used in the Romotop Variant RN 03/LN 03 corner fireplace. You can choose the orientation of the fireplace, its height and, for instance, the accumulation mass. Everything is up to you...



Variant RN 03/LN 03
steel

A⁺


Variant RN 03/LN 03 steel

P_R	2.9-7.4 kW
❖	1092-1852 × 700 × 470 mm
■	170-214 kg
%	85.7 %

Stoves are beautiful and radiate heat for a long time

The Czech company ROMOTOP, a leader in the field of wood burning stoves, introduced the new and unique design stoves **Cara C 02**, **Cara CS 02**, **Cara C N 03**, **Cara CS N 03**, **Variant F N 03**, **Variant RN/LN 03 with heat accumulation**, characterized by a top design and that "extra something". In this case the "extra something" is the stove's ability to accumulate (store) generated heat and radiate it over a long period of time.

Design stoves Cara and Variant with heat accumulation is a truly luxurious product. This stove represents a new trend, where steel create a pleasant yet representative impression.



Regular stoves provide large amounts of heat to their surroundings for a short time after stoking and their performance, as well as the temperature in the room, decreases quickly after the fire dies. With a carefully configured ratio of convection and accumulation, design stoves are designed to ensure both a relatively quick increase in temperature in the room after stoking, as well as lasting for a long time, heating the air for up to another **13 hours** after final stoking.

The **Lugo N A and Malaga N 03 stove with accumulation** extends the duration of heat radiation from the stove to up to **8.5 hours**, thanks to its accumulation elements. The **Esquina N, Evora A, Laredo A stove, with accumulation elements**, radiates heat for up to **5.5 hours**.

Stoves allow you to keep a regular modern low-energy house warm for the whole day, while you are away.

Technical information of fireplace stoves

Model - name	Adjustable output (kW)	Regulated hot-water output (kW)	Dimensions H x W x D (mm)	Smoke flue diameter (mm)	EAI diameter (mm)	Height of the rear outlet (mm)	Weight (kg)	Efficiency (%)	Average wood consumption (kg/hour)	Energy efficiency	EN 13 240	15a B-VG	Din +	Bimschv 2
ALEA 01 - ceramic	2,9-7,4	-	1305 x 468 x 468	150	125	1129	146	82,9	1,6	A+	•	•	•	•
ALEA 02 - serpentine	2,9-7,4	-	1305 x 468 x 468	150	125	1129	152	82,9	1,6	A+	•	•	•	•
ALEA 03 - steel	2,9-7,4	-	1243 x 468 x 468	150	125	1129	149	82,9	1,6	A+	•	•	•	•
ALEA 04 - sandstone	2,9-7,4	-	1305 x 468 x 468	150	125	1129	151	82,9	1,6	A+	•	•	•	•
ALEA 01 A - ceramic	2,9-7,4	-	1584 x 468 x 468	150	125	1129/1376	158	82,9	1,6	A+	•	•	•	•
ALEA 02 A - serpentine	2,9-7,4	-	1584 x 468 x 468	150	125	1129/1376	164	82,9	1,6	A+	•	•	•	•
ALEA 03 A - steel	2,9-7,4	-	1522 x 468 x 468	150	125	1129/1376	161	82,9	1,6	A+	•	•	•	•
ALEA 04 A - sandstone	2,9-7,4	-	1584 x 468 x 468	150	125	1129/1376	162	82,9	1,6	A+	•	•	•	•
ALEDO 01 - ceramic	3-7,8	-	862 x 740 x 321	150	125	729	150	83,5	1,6	A+	•	•	•	•
ALEDO 02 - serpentine	3-7,8	-	862 x 740 x 322	150	125	729	176	83,5	1,6	A+	•	•	•	•
ALEDO 03 - steel	3-7,8	-	840 x 696 x 322	150	125	729	162	83,5	1,6	A+	•	•	•	•
ALPERA E 01 - ceramic	2-6,5	-	996 x 528 x 394	150	125	863	123	80,5	1,2	A+	•	•	•	•
ALPERA E 02 - serpentine	2-6,5	-	996 x 528 x 394	150	125	863	139	80,5	1,2	A+	•	•	•	•
ALPERA E 03 - steel	2-6,5	-	974 x 528 x 394	150	125	863	118	80,5	1,2	A+	•	•	•	•
ALPERA F 01 - ceramic	2-6,5	-	996 x 520 x 318	150	125	863	132	80,5	1,2	A+	•	•	•	•
ALPERA F 02 - serpentine	2-6,5	-	996 x 520 x 318	150	125	863	160	80,5	1,2	A+	•	•	•	•
ALPERA F 03 - steel	2-6,5	-	974 x 520 x 318	150	125	863	120	80,5	1,2	A+	•	•	•	•
ALPERA G 01 - ceramic	2-6,5	-	996 x 516 x 397	150	125	863	135	80,5	1,2	A+	•	•	•	•
ALPERA G 02 - serpentine	2-6,5	-	996 x 516 x 397	150	125	863	156	80,5	1,2	A+	•	•	•	•
ALPERA G 03 - steel	2-6,5	-	974 x 516 x 397	150	125	863	125	80,5	1,2	A+	•	•	•	•
ALTEA - ceramic	4-10,4	-	860 x 847 x 378	150	-	667	141	78,6	2,6	A	•	•	•	•
BELO 3S 01 - ceramic	2,5-6,4	-	1211 x 530 x 403	150	125	1073	149	80,5	1,4	A+	•	•	•	•
BELO 3S 02 - serpentine	2,5-6,4	-	1211 x 530 x 403	150	125	1073	157	80,5	1,4	A+	•	•	•	•
BELO 3S 03 - steel	2,5-6,4	-	1189 x 533 x 406	150	125	1073	152	80,5	1,4	A+	•	•	•	•
BELO 3S 04 - sandstone	2,5-6,4	-	1210 x 530 x 403	150	125	1073	152	80,5	1,4	A+	•	•	•	•
BELO 3S 01 A - steel	2,5-6,4	-	1571 x 533 x 406	150	125	1073/1406	176	80,5	1,4	A+	•	•	•	•
BELORADO 01 - ceramic	2,5-6,4	-	1213 x 530 x 403	150	125	1073	171	80,5	1,4	A+	•	•	•	•
BELORADO 02 - serpentine	2,5-6,4	-	1211 x 530 x 403	150	125	1073	199	80,5	1,4	A+	•	•	•	•
BELORADO 03 - steel	2,5-6,4	-	1189 x 533 x 406	150	125	1073	153	80,5	1,4	A+	•	•	•	•
BELORADO 01 A - ceramic	2,5-6,4	-	1571 x 533 x 406	150	125	1073	205	80,5	1,4	A+	•	•	•	•
BELORADO 02 A - serpentine	2,5-6,4	-	1571 x 533 x 406	150	125	1073	233	80,5	1,4	A+	•	•	•	•
BELORADO 03 A - steel	2,5-6,4	-	1571 x 533 x 406	150	125	1073	176	80,5	1,4	A+	•	•	•	•

Technical information of fireplace stoves

Model - name	Adjustable output (kW)	Regulated hot-water output (kW)	Dimensions H x W x D (mm)	Smoke flue diameter (mm)	EAI diameter (mm)	Height of the rear outlet (mm)	Weight (kg)	Efficiency (%)	Average wood consumption (kg/hour)	Energy efficiency
										EN 13 240 15a B-VG Din + BimschV 2
BURGOS 01 - ceramic	3,8-9,8	-	1175 x 756 x 507	150	125	1008	211	82,7	2,1	
BURGOS 02 - serpentine	3,8-9,8	-	1176 x 756 x 507	150	125	1008	243	82,7	2,1	
BURGOS 03 - steel	3,8-9,8	-	1150 x 756 x 507	150	125	1008	205	82,7	2,1	
BURGOS 04 - sandstone	3,8-9,8	-	1176 x 756 x 507	150	125	1008	236	82,7	2,1	
ESPERA 01 - ceramic	5-13	3,5-9,1	1080 x 540 x 518	150	125	-	220	80,1	2,9	
ESPERA 02 - serpentine	5-13	3,5-9,1	1080 x 540 x 518	150	125	-	245	80,1	2,9	
ESPERA 03 - steel	5-13	3,5-9,1	1056 x 540 x 518	150	125	-	214	80,1	2,9	
ESQUINA N - steel	3-7,7	-	1506 x 403 x 403	150	125	1383	179	81,4	1,7	
EVORA 01 - ceramic	2-6,5	-	996 x 528 x 398	150	125	863	123	80,5	1,2	
EVORA 02 - serpentine	2-6,5	-	996 x 528 x 398	150	125	863	139	80,5	1,2	
EVORA 03 - steel	2-6,5	-	974 x 528 x 398	150	125	863	118	80,5	1,2	
EVORA 07 - sandstone	2-6,5	-	996 x 528 x 398	150	125	863	127	80,5	1,2	
EVORA 01 AKUM - ceramic	2-6,5	-	1312 x 528 x 398	150	125	863/1133	143	80,5	1,2	
EVORA 02 AKUM - serpentine	2-6,5	-	1312 x 528 x 398	150	125	863/1133	157	80,5	1,2	
EVORA 03 AKUM - steel	2-6,5	-	1312 x 528 x 398	150	125	863/1133	133	80,5	1,2	
EVORA 04 AKUM - sandstone	2-6,5	-	1312 x 528 x 398	150	125	863/1133	147	80,5	1,2	
EVORA T 01 - ceramic	2-6,5	-	997 x 528 x 398	150	125	863	125	80,5	1,2	
EVORA T 02 - serpentine	2-6,5	-	997 x 528 x 398	150	125	863	137	80,5	1,2	
EVORA T 03 - steel	2-6,5	-	975 x 528 x 398	150	125	863	122	80,5	1,2	
EVORA T 07 - sandstone	2-6,5	-	997 x 528 x 398	150	125	863	128	80,5	1,2	
GERONA - ceramic	4,8-12,4	-	994 x 690 x 362	150	-	674	133	82,3	2,7	
IRUN N 01 - relief ceramic	2,5-6,4	-	1113 x 458 x 458	150	125	998	148	80,5	1,4	
IRUN N 02 - serpentine	2,5-6,4	-	1119 x 472 x 472	150	125	998	167	80,5	1,4	
IRUN N 03 - steel	2,5-6,4	-	1093 x 458 x 458	150	125	998	134	80,5	1,4	
IRUN N 05 - flat ceramic	2,5-6,4	-	1113 x 458 x 458	150	125	998	148	80,5	1,4	
LAREDO 01 - ceramic	2-6,5	-	996 x 528 x 398	150	125	863	123	80,5	1,2	
LAREDO 02 - serpentine	2-6,5	-	996 x 528 x 398	150	125	863	139	80,5	1,2	
LAREDO 03 - steel	2-6,5	-	974 x 528 x 398	150	125	863	118	80,5	1,2	
LAREDO 04 - sandstone	2-6,5	-	996 x 528 x 398	150	125	863	127	80,5	1,2	
LAREDO 01 AKUM - ceramic	2-6,5	-	1312 x 528 x 398	150	125	863/1133	143	80,5	1,2	
LAREDO 02 AKUM - serpentine	2-6,5	-	1312 x 528 x 398	150	125	863/1133	157	80,5	1,2	
LAREDO 03 AKUM - steel	2-6,5	-	1312 x 528 x 398	150	125	863/1133	133	80,5	1,2	
LAREDO 04 AKUM - sandstone	2-6,5	-	1312 x 528 x 398	150	125	863/1133	147	80,5	1,2	
LAREDO F 01 - ceramic	2-6,5	-	996 x 520 x 318	150	125	863	132	80,5	1,2	
LAREDO F 02 - serpentine	2-6,5	-	996 x 520 x 318	150	125	863	160	80,5	1,2	
LAREDO F 03 - steel	2-6,5	-	974 x 520 x 318	150	125	863	120	80,5	1,2	

Model - name	Adjustable output (kW)	Regulated hot-water output (kW)	Dimensions H x W x D (mm)	Smoke flue diameter (mm)	EAI diameter (mm)	Height of the rear outlet (mm)	Weight (kg)	Efficiency (%)	Average wood consumption (kg/hour)	Energy efficiency
										EN 13 240 15a B-VG Din + BimschV 2
LAREDO T 01 - ceramic	2-6,5	-	997 x 528 x 398	150	125	863	125	80,5	1,2	
LAREDO T 02 - serpentine	2-6,5	-	997 x 528 x 398	150	125	863	137	80,5	1,2	
LAREDO T 03 - steel	2-6,5	-	975 x 528 x 398	150	125	863	122	80,5	1,2	
LAREDO T 04 - sandstone	2-6,5	-	997 x 528 x 398	150	125	863	128	80,5	1,2	
LUGANO 01 - ceramic	3-7,8	-	1224 x 550 x 438	150	125	922	146	81,9	1,7	
LUGANO 02 - serpentine	3-7,8	-	1224 x 550 x 438	150	125	922	179	81,9	1,7	
LUGANO 03 - steel	3-7,8	-	1202 x 550 x 438	150	125	922	134	81,9	1,7	
LUGANO 04 - sandstone	3-7,8	-	1224 x 550 x 438	150	125	922	173	81,9	1,7	
LUGANO 01 A - ceramic	3-7,8	-	1530 x 560 x 457	150	125	988/1289	161	81,9	1,7	
LUGANO 02 A - serpentine	3-7,8	-	1530 x 560 x 457	150	125	988/1289	189	81,9	1,7	
LUGANO 03 A - steel	3-7,8	-	1530 x 560 x 457	150	125	988/1289	144	81,9	1,7	
LUGANO 04 A - sandstone	3-7,8	-	1530 x 560 x 457	150	125	988/1289	183	81,9	1,7	
LUGO N01 - ceramic	3-7,8	-	1224 x 550 x 438	150	125	922	146	81,9	1,7	
LUGO N02 - serpentine	3-7,8	-	1224 x 550 x 438	150	125	922	179	81,9	1,7	
LUGO N03 - steel	3-7,8	-	1202 x 550 x 438	150	125	922	134	81,9	1,7	
LUGO N04 - sandstone	3-7,8	-	1224 x 550 x 438	150	125	922	176	81,9	1,7	
LUGO N01 A - ceramic	3-7,8	-	1530 x 560 x 457	150	125	988/1289	161	81,9	1,7	
LUGO N02 A - serpentine	3-7,8	-	1530 x 560 x 457	150	125	988/1289	189	81,9	1,7	
LUGO N03 A - steel	3-7,8	-	1530 x 560 x 457	150	125	988/1289	144	81,9	1,7	
LUGO N04 A - sandstone	3-7,8	-	1530 x 560 x 457	150	125	988/1289	193	81,9	1,7	
LUGO N01 BF - ceramic, oven	3-7,8	-	1552 x 550 x 456	150	125	1369	195	81,9	1,7	
LUGO N02 BF - serpentine, oven	3-7,8	-	1552 x 550 x 456</td							

Technical information of fireplace stoves

Model – name	Adjustable output (kW)	Regulated hot-water output (kW)	Dimensions H x W x D (mm)	Smoke flue diameter (mm)	EAI diameter (mm)	Height of the rear outlet (mm)	Weight (kg)	Efficiency (%)	Average wood consumption (kg/hour)	Energy efficiency
										EN 13 240 15a B-VG Din + BimschV 2
OVALIS 01 – relief ceramic	3-7.8	–	1071 x 630 x 398	150	125	938	138	83.5	1.6	A*
OVALIS 02 – serpentine	3-7.8	–	1071 x 630 x 398	150	125	938	156	83.5	1.6	A*
OVALIS 03 – steel	3-7.8	–	1071 x 630 x 398	150	125	938	134	83.5	1.6	A*
OVALIS 05 – flat ceramic	3-7.8	–	1071 x 630 x 398	150	125	938	138	83.5	1.6	A*
OVALIS 01 A – relief ceramic	3-7.8	–	1390 x 628 x 398	150	125	938/1183	159	83.5	1.6	A*
OVALIS 02 A – serpentine	3-7.8	–	1390 x 628 x 398	150	125	938/1183	175	83.5	1.6	A*
OVALIS 03 A – steel	3-7.8	–	1390 x 628 x 398	150	125	938/1183	150	83.5	1.6	A*
OVALIS 05 A – flat ceramic	3-7.8	–	1390 x 628 x 398	150	125	938/1183	171	83.5	1.6	A*
OVALIS T 02 – serpentine	3-7.8	–	1037 x 630 x 398	150	125	904	156	83.5	1.6	A*
OVALIS T 03 – steel	3-7.8	–	1015 x 628 x 398	150	125	904	140	83.5	1.6	A*
OVALIS T 05 – ceramic	3-7.8	–	1037 x 630 x 398	150	125	904	142	83.5	1.6	A*
OVALIS G 01 – relief ceramic	3-7.8	–	1071 x 630 x 398	150	125	938	141	83.5	1.6	A*
OVALIS G 02 – serpentine	3-7.8	–	1071 x 630 x 398	150	125	938	158	83.5	1.6	A*
OVALIS G 03 – steel	3-7.8	–	1049 x 628 x 398	150	125	938	136	83.5	1.6	A*
OVALIS G 04 – sandstone	3-7.8	–	1071 x 630 x 398	150	125	938	154	83.5	1.6	A*
OVALIS G 05 – flat ceramic	3-7.8	–	1071 x 630 x 398	150	125	938	141	83.5	1.6	A*
OVALIS G 01 A – relief ceramic	3-7.8	–	1390 x 628 x 398	150	125	938/1183	163	83.5	1.6	A*
OVALIS G 02 A – serpentine	3-7.8	–	1390 x 628 x 398	150	125	938/1183	179	83.5	1.6	A*
OVALIS G 03 A – steel	3-7.8	–	1390 x 628 x 398	150	125	938/1183	154	83.5	1.6	A*
OVALIS G 04 A – sandstone	3-7.8	–	1390 x 628 x 398	150	125	938/1183	176	83.5	1.6	A*
OVALIS G 05 A – flat ceramic	3-7.8	–	1390 x 628 x 398	150	125	938/1183	164	83.5	1.6	A*
PALEA 01 – ceramic	2-6.5	–	1335 x 520 x 426	150	125	880/1150	163	80.5	1.2	A*
PALEA 02 – serpentine	2-6.5	–	1335 x 520 x 426	150	125	880/1150	196	80.5	1.2	A*
PALEA 03 – steel	2-6.5	–	1313 x 520 x 426	150	125	880/1150	143	80.5	1.2	A*
RIANO 01 – steel	3-7.8	–	880 x 810 x 410	150	–	762	138	80.1	1.7	A*
RIANO 02 – ceramic	3-7.8	–	904 x 834 x 434	150	–	762	155	80.1	1.7	A*
RIANO 03 – serpentine	3-7.8	–	920 x 820 x 420	150	–	762	175	80.1	1.7	A*
RIANO N 01 – steel	3-7.8	–	963 x 827 x 410	150	125	842	172	80.1	1.7	A*
RIANO N 02 – ceramic	3-7.8	–	995 x 827 x 410	150	125	842	194	80.1	1.7	A*
RIANO N 03 – serpentine	3-7.8	–	995 x 827 x 410	150	125	842	248	80.1	1.7	A*
RIANO N 04 – ceramic	3-7.8	–	995 x 827 x 410	150	125	842	162	80.1	1.7	A*
RIANO N 05 – serpentine	3-7.8	–	995 x 827 x 410	150	125	842	184	80.1	1.7	A*
RIANO W 01 – steel	6,7-17,4	4,7-12,2	1046 x 810 x 459	150	–	–	256	83,4	3,7	A*
RIANO W 02 – ceramic	6,7-17,4	4,7-12,2	1070 x 834 x 470	150	–	–	270	83,4	3,7	A*
RIANO W 03 – serpentine	6,7-17,4	4,7-12,2	1083 x 820 x 463	150	–	–	291	83,4	3,7	A*

Model – name	Adjustable output (kW)	Regulated hot-water output (kW)	Dimensions H x W x D (mm)	Smoke flue diameter (mm)	EAI diameter (mm)	Height of the rear outlet (mm)	Weight (kg)	Efficiency (%)	Average wood consumption (kg/hour)	Energy efficiency
										EN 13 240 15a B-VG Din + BimschV 2
SALEM 01 – relief ceramic	3-7.8	–	862 x 750 x 332	150	125	729	147	83,5	1,6	A*
SALEM 02 – serpentine	3-7.8	–	862 x 750 x 319	150	125	729	186	83,5	1,6	A*
SALEM 03 – steel	3-7.8	–	840 x 750 x 319	150	125	729	141	83,5	1,6	A*
SORIA N 01 – ceramic	2,8-7,2	–	1554 x 517 x 517	150	125	1340	202	80,5	1,4	A*
SORIA N 02 – serpentine	2,8-7,2	–	1545 x 518 x 518	150	125	1340	294	80,5	1,4	A*
SORIA N 03 – steel	2,8-7,2	–	1501 x 518 x 518	150	125	1340	172	80,5	1,4	A*
SORIA N 04 – sandstone	2,8-7,2	–	1545 x 518 x 518	150	125	1340	258	80,5	1,4	A*
STROMBOLI N 01 – serpentine	3-7,8	–	1073 x 666 x 475	150	125	–	225	80,1	1,7	A*
STROMBOLI N 02 – ceramic	3-7,8	–	1074 x 672 x 478	150	125	–	175	80,1	1,7	A*
STROMBOLI N 03 – steel	3-7,8	–	1047 x 654 x 463	150	125	–	155	80,1	1,7	A*
STROMBOLI N 04 – sandstone	3-7,8	–	1073 x 666 x 475	150	125	–	228	80,1	1,7	A*
TALA 01 – steel	3-7,7	–	1064 x 480 x 433	150	–	960	110	80,1	1,7	A*
TALA 06 – steel	3-7,7	–	1064 x 500 x 390	150	–	960	110	80,1	1,7	A*

Technical information of design fireplaces

Model – název	Adjustable output (kW)	Dimensions H x W x D (mm)	Smoke flue diameter (mm)	EAI diameter (mm)	Height of the rear outlet (mm)	Weight (kg)	Efficiency (%)	Average wood consumption (kg/hour)	Energy efficiency
									EN 13 240 15a B-VG Din + BimschV 2
CARA C 02 – serpentine	3,9-10,1	1648 x 924 x 577	150	125	1346	355	82,9	2,2	A*
CARA CS 02 – serpentine	2,9-7,4	1648 x 774 x 577	150	125	1346	303	82,1	1,6	A*
CARA C N 03 – steel	3,9-10,1	1643 x 924 x 577	150	125	1341	295	82,9	2,2	A*
CARA CS N 03 – steel	2,9-7,4	1643 x 774 x 577	150	125	1341	255	82,1	1,6	A*
VARIANT F N 03 – steel	2,4-7	1092-1852 x 790 x 470	150	125	1179/1369/1559/1749	182-225	83,6	1,3	A*
VARIANT RN 03/LN 03 – steel	2,9-7,4	1092-1852 x 700 x 470	150	125	1179/1369/1559/1749	170-214	85,7	1,6	

Smart door



Naturally, all ROMOTOP stoves comply with the conditions of the BAUART 1 standard. The door of the furnace is always closed, except when the stove is being operated. The closed door condition is achieved by means of a self-closing door that gets latched by itself thanks to its spring-loaded hinges and a return spring.

But if the stove is out of operation at the moment, this may be a disadvantage e.g. during maintenance or cleaning.

But here comes the “ROMOTOP smart door”.

With the new BELO 3S and BELORADO models you can completely open the door, fix (secure) the door so it stays in open position. To release the door move the handle (BELO 3S and BELORADO).



**This way you can e.g. do
the cleaning quite easily.**



ROMOTOP spol. s r. o.
Komenského 325
742 01 Suchdol nad Odrou
Czech Republic

www.romotop.com

